Addition and Cycloaddition to 2- and 8-Vinylpurines

Fusheng Liu, a,b Bjørn Dalhus, Lise-Lotte Gundersen a, and Frode Rise a

^aDepartment of Chemistry, University of Oslo, PO Box 1033, Blindern, N-0315 Oslo, Norway and ^bThe Laboratory of Dye and Surfactant Fine Chemicals, Dalian University of Technology, Dalian 116012, China

Liu, F., Dalhus, B., Gundersen, L.-L. and Rise, F., 1999. Addition and Cycloaddition to 2- and 8-Vinylpurines. – Acta Chem. Scand. 53: 269–279. © Acta Chemica Scandinavica 1999.

The reactivity of purines carrying an alkenyl substituent in the 2- or 8-position in nucleophilic addition and cycloaddition reactions has been studied. A vinyl substituent situated at C-8 is highly electrophilic and readily participates as a Michael acceptor in nucleophilic additions and as a dienophile in Diels-Alder reactions. 2-Vinylpurines may also give addition and cycloaddition products. When benzenethiol was added to 9-benzyl-2-vinylpurine, both the simple adduct as well as 9-benzyl-2-(2-phenylthio-1-hydroxyethyl)-9H-purine were formed. The structure of the latter compound was determined by single-crystal X-ray methods.

We have recently demonstrated that 6-vinylpurines are highly electron deficient alkenes which readily participate in nucleophilic additions, Diels-Alder cycloadditions² and Heck couplings³ to give a variety of 6-alkyl- or 6-alkenyl-purines including potent plant growth stimulators³ as well as adenosine agonist analogs.² The potential of 8-vinylpurines as synthetic intermediates has, up till now, not been explored. However, the low stability reported for 8-vinyladenosine derivatives in the presence of nucleophilic reagents,4 indicated to us that these compounds may also act as electron deficient alkenes in controlled synthetic transformations. 2-Vinylpurines have been utilized in the preparation of several C-2 modified purine nucleosides by catalytic hydrogenation, ozonolysis, dihydroxylation and hydroboration-oxidation,⁵ but reactions requiring an electrophilic double bond have, to our knowledge, not been performed. It is, however, reported that 2-vinylinosinic acid inhibits inosine monophosphate dehydrogenase, probably by acting as a Michael acceptor towards cysteine in the enzyme.⁶ In this paper we report our results from addition- and cycloaddition reactions on 2- and 8-vinylpurines.

The 8-vinylpurines **6a** and **6b** were prepared by iodination of the *N*-9 alkylated compounds **1a** and **1b** followed by Stille coupling with ethenyl(tributyl)tin (Scheme 1). The iodide **2b** was easily prepared in 93% yield by reaction of **1b** with lithium diisopropylamide (LDA) followed by iodine, but when the same method was attempted on the benzylpurine **1a**, extensive decomposition of the starting material took place. We have also previously observed that certain *N*-benzylpurines do not tolerate butyllithium or LDA. On the other hand, when 9-benzylpurine **1a** was treated with 2.5 equiv. of *N*-

iodosuccinimide (NIS) in refluxing tetrahydrofuran (THF) for 2 days, 87% of the desired iodopurine 2a was isolated together with 6% of the N^6 succinyl protected adenine 3. When the amount of NIS was reduced to 2.0 equiv., compound 3 could not be detected but the reaction time was substantially prolonged; 75% of 2a was isolated after 118 h. In order to confirm the structure of the by-product 3, this compound was converted into the adenine derivatives 4 and 5^9 as shown in Scheme 1. The structure of compounds 4 and 5 were easily determined by HMBC NMR spectroscopy. 8.10,11

The 8-vinylpurines 6a and 6b were allowed to react with methanol, benzenethiol and diethyl malonate under various reaction conditions (Scheme 1, Table 1). The reactivity towards pure methanol was low (Table 1, entries 1, 2), but treatment with benzenethiol, sodium benzenethiolate or sodium methoxide resulted in clean conversion into the adducts 7a-7d (Table 1, entries 3, 4, 6-9, 11-14). CSA-mediated addition of methanol or benzenethiol to vinylpurine 6a resulted in quite moderate yield of adducts 7a and 7c and a complex mixture was formed (Table 1, entries 5 and 10). In contrast with CSA-mediated additions to the 6-vinyl isomer, we were not able to isolate and determine the structure of any by-product. Compounds 7e and 7f were formed in high yields when compounds 6a and 6b were reacted with diethyl malonate in the presence of 0.5 equiv. of sodium hydride (Table 1, entries 12 and 14). As previously observed for 6-vinylpurines,1 the use of a full equivalent of base resulted in addition of a second vinylpurine to the adducts 7e or 7f, giving the 1:2 adducts 8a and 8b (Table 1, entries 11 and 13). The reactivity of 8-vinylpurines towards the nucleophiles examined appears comparable to that of 6-vinylpurines.¹

^{*} To whom correspondence should be addressed.

Scheme 1.

Table 1. Addition to 8-vinylpurines 6.

Entry	Vinylpurine 6	NuH	Co-reagent	Solvent	Time	Yield (%) 7 ª
1	R = Bn, 6a	MeOH		MeOH	6 weeks	7, 7 a ^b
2	R=THP, 6b	MeOH	_	MeOH	6 weeks	4, 7b ^b
3	R = Bn, 6a	MeOH	NaH	DCE	4 h	85, 7a
4	R = THP, 6b	MeOH	NaH	DCE	4 h	91, 7 b
5	R = Bn, 6a	MeOH	CSA	DCE	20 h	19, 7a °
6	R = Bn, 6a	PhSH		DCE	5 h	82, 7c
7	R = THP, 6b	PhSH	_	DCE	5 h	80, 7d
8	R = Bn, 6a	PhSH	NaH	DCE	4 h	84, 7c
9	R=THP, 6b	PhSH	NaH	DCE	4 h	85, 7d
10	R = Bn, 6a	PhSH	CSA	DCE	2 h	51, 7c °
11	R = Bn, 6a	CH2(CO2Et)2	NaH (1.2 equiv.)	THF	3 h	63, 7e ^d
12	R = Bn, 6a	$CH_2(CO_2Et)_2$	NaH (0.5 equiv.)	THF	3 h	86, 7e
13	R = THP, 6b	$CH_2(CO_2Et)_2$	NaH (1.2 equiv.)	THF	3 h	62, 7f °
14	R = THP, 6b	$CH_2(CO_2Et)_2$	NaH (0.5 equiv.)	THF	3 h	84, 7f

^aYields of isolated products unless otherwise stated. ^bFrom the ¹H NMR spectrum of the crude product. ^cSeveral unidentified products were also formed. ^d22% of compound **8a** was also isolated. ^e15% of compound **8b** was also isolated.

The vinylpurine **6a** was subjected to cycloaddition with cyclopentadiene to give the Diels-Alder adducts **9** and **10** with the *endo* isomer **9** as the major product (Scheme 1, Table 2). The stereochemical assignments of

the *exo* and *endo* isomers were confirmed by NOESY spectroscopy.² Addition of zinc chloride to the reaction mixture resulted in considerably shorter reaction times and the *endo* selectivity was improved. When 4.0 equiv.

Table 2. Diels-Alder reactions on 8-vinylpurine 6a.

Entry	Temp.	t/h	Catalyst	Yield (%) endo 9ª	Yield (%) <i>exo</i> 10 ^a
1	0°C−rt	110	_	73 ^b	12
2	0 °C−rt	24	ZnCl ₂ (1 equiv.)	85	c
3	0 °C	2.5	ZnCl ₂ (4 equiv.)	83	_

^aYields of isolated products. ^bThe *endo*: *exo* ratio in the crude product was 84:16 according to ¹H NMR. ^cCa. 5% was present in the crude product according to the ¹H NMR spectrum.

of Lewis acid were present, the *exo* isomer 10 could no longer be detected. These findings closely resemble our results from Diels-Alder reactions on 6-vinylpurines,² but it appears that the 8-vinylpurine 6a is somewhat more reactive and more *endo* selective in uncatalysed reaction with cyclopentadiene compared with the 6-vinyl isomer previously examined. With the latter compound more than 30% starting material remained unchanged after 4 days and the *endo*: *exo* ratio was close to 1:1.²

We next turned our attention to the 2-vinylpurine 14 (Scheme 2). For the preparation of compound 14 we utilized Nair's method for 2-vinylpurine nucleoside synthesis^{5,12} starting from the 6-chloro-2-aminopurine 11. The 6-chloro substituent was removed by catalytic hydrogenation and the resulting aminopurine 12 was converted into the iodopurine 13 by treatment with isopentyl nitrite, diiodomethane and CuI. Compound 13 readily participated in coupling with ethenyl(tributyl)tin to give the desired vinylpurine 14.

All attempts to add methanol alone or in the presence of CSA to the 2-ethenylpurine 14 failed even at elevated temperatures. This alkene was also completely inert towards excess sodium methoxide in DCE at ambient temperature as well as at 80 °C. On the other hand, when compound 14 was reacted with benzenethiol, the expected adduct 15a could be isolated together with various amounts of the β-hydroxy sulfide 16 (Scheme 2, Table 3, entries 1–7). Single-crystal X-ray crystallography was used to determine the structure of compound 16 (vide infra). The formation of 16 may be the result of addition of benzenethiol and oxygen to the alkene 14. β-Hydroxy sulfides are formed when oxidative addition of thiols is carried out in the presence of amines, ¹³ and in our

reactions purines may have served as the source of base. This reaction pathway could account for the need for a substantial excess of thiol. Employing standard syringe and needle techniques and nitrogen or argon as an inert atmosphere, we were not able completely to suppress the formation of compound 16.

The adduct 15b was formed when the vinylpurine 14 was treated with the sodium salt of diethyl malonate, but an excess of the Michael donor as well as refluxing THF were required (Table 3, entries 8–11). Formation of a 1:2 adduct such as compound 8 (Scheme 1) was not observed.

The structure of compound 16 was determined by single-crystal X-ray crystallography and the asymmetric unit of 16 with atomic numbering is shown in Fig. 1. Final atomic coordinates and $U_{\rm eq}$ values are listed in Table 5, selected geometric parameters in Table 6. Tables of anisotropic displacement parameters, coordinates of hydrogen atoms and a listing of observed and calculated structure factors are available from the correspondence author upon request.

Even though the 2-ethenylpurine 14 was found to be a substantially less reactive dienophile than the 6- or 8-vinylated isomers, this compound did react with cyclopentadiene in the presence of 4 equiv. of zinc chloride to give the *endo* adduct 17 in 68% yield (Table 7, entry 3). The starting material was consumed after 2 days and no *exo* isomer could be detected.

The results presented in this and previous¹⁻³ papers, demonstrate that purines carrying an alkenyl substituent in the 2-, 6- or 8-position may be versatile intermediates in syntheses of modified purine derivatives. A vinyl substituent situated at C-6 or C-8 is highly electrophilic

$$\begin{array}{c} \text{H}_{2}\text{N} \\ \text{N} \\ \text$$

Scheme 2.

Table 3. Addition to the 2-vinylpurine 14.

Entry ^a	NuH	Co-reagent	Solvent	<i>T</i> /°C	<i>t/</i> h	% 14 ^b	15:16 ^b	Yield (%) 15 °	Yield (%) 16 °
1 ^d	PhSH (1.2 equiv.)	_	DCE	rt	24	31	60:40	32, 15 a	24
2	PhSH (2.4 equiv.)	_	DCE	rt	5	0	77:23	66, 15a	19
3 ^d	PhSH (2.4 equiv.)	_	DCE	rt	5	0	87 : 13	74, 15 a	10
4 ^d	PhSH (2.4 equiv.)	_	THF	rt	5	0	51:49	41, 15 a	37
5 ^d	PhSH (2.4 equiv.)	NaH (2.4 equiv.)	DCE	rt	40	55	44:56	23, 15a	31
6 ^d	PhSH (2.4 equiv.)	NaH (2.4 equiv.)	DCE	rt	40	62	36:64	12, 15 a	23
7	PhSH (2.4 equiv.)	CSA (1.0 equiv.)	DCE	rt	5	0 %	78:22	23, 15a	_f
8	CH ₂ (CO ₂ Et) ₂ (6.0 equiv.)	NaH (6.0 equiv.)	THF	rt	120	f	_	36, 15b ^g	_
9	CH ₂ (CO ₂ Et) ₂ (6.0 equiv.)	NaH (6.0 equiv.)	THF	Δ	96	15	_	70, 15b	_
10	CH ₂ (CO ₂ Et) ₂ (3.0 equiv.)	NaH (3.0 equiv.)	THF	Δ	96	27		62, 15b	_
11	CH ₂ (CO ₂ Et) ₂ (1.5 equiv.)	NaH (1.5 equiv.)	THF	Δ	96	83	_	14, 15 b	_

^aReactions were performed under an N₂-atmosphere unless otherwise stated. ^bFrom the ¹H NMR spectrum of the crude product. ^cYields of isolated products. ^dUnder an Ar-atmosphere. ^eSeveral unidentified products were also formed. ^fNot determined. ^g49% of the starting material **14** was recovered.




Fig. 1. Molecular structure of compound **16** with atomic numbering. Displacement ellipsoids drawn at the 50% propability level. H-atoms are arbitrarily scaled.

and reacts smoothly as a Michael acceptor in nucleophilic additions and as dienophile in Diels–Alder reactions. Only minor differences in reactivity between the 6-vinylpurine studied before^{1–3} and the 8-vinylpurines described herein have been observed. Although less read-

ily, 2-vinylpurines also give addition and cycloaddition products.

Experimental

General information. The ¹H NMR spectra were recorded at 500 MHz with a Bruker Avance DRX 500, at 300 MHz with a Bruker Avance DPX 300 or at 200 MHz with a Bruker Avance DPX 200 instrument. The ¹³C NMR spectra were recorded at 125, 75 or 50 MHz using the above mentioned spectrometers. Chemical shifts (δ) are given in ppm downfield from tetramethylsilane. Mass spectra were recorded at 70 eV ionising voltage with a VG Prospec instrument, and are presented as m/z (% rel. int.). Methane was used for chemical ionisation. Elemental analyses were performed by Ilse Beetz Mikroanalytisches Laboratorium, Kronach, Germany. Melting points are uncorrected. Silica gel for flash chromatography was purchased from Merck, Darmstadt, Germany (Merck No. 9385). DMF was distilled from BaO. THF was distilled from sodium-benzophenone. Dichloroethane and dichloromethane were distilled from CaH₂. Methanol was distilled from magnesium and iodine and stored over molecular sieves. Benzenethiol was distilled at reduced pressure and stored over molecular sieves. A ca. 60% oily dispersion of sodium hydride was washed with hexane $(\times 3)$ and dried in vacuo prior

Table 4. Crystal data, intensity collection and refinement data for compound 16.

Formula	C ₂₀ H ₁₈ N ₄ OS
Formula weight/g mol ⁻¹	362.44
Crystal size/mm	$1.10 \times 0.25 \times 0.025$
Colour, habit	Colourless plate
Crystal system	Monoclinic
Space group	C2/c (No. 15)
Cell dimensions/Å,°	a = 36.6951(11)
	b = 12.5877(5)
	c = 8.0725(2)
	$\beta = 101.099(2)$
Volume/Å ³	3659.0(2)
Z	8
$D_{\rm calc}/{ m g~cm^{-3}}$	1.316
F(000)	1520
Diffractometer	Siemens SMART ¹⁶
	Μο Κα
Radiation	$(\lambda = 0.71073 \text{ Å})$
Monochromator	Graphite crystal
T/K	293
Scan mode	ω-scans
No. of sets of exposures	3
Exposure time per frame/s	60
Crystal to detector distance/cm	5.01
2θ range/°	3.42-52.84
Index ranges	$-32 \leqslant h \leqslant 45$
3	$-15 \leqslant k \leqslant 14$
	-10 <i>≤ l ≤</i> 10
Absorption correction	Multi-scan ¹⁷
No. of reflections measured	3715
No. of reflections used in refinement	3713
No. of reflections with $l > 2\sigma(l)n$	2046
Refinement	on F ²
No. of refined parameters p	251
$R = \sum \Delta F / F_0 ^a [I > 2\sigma(I)]$	0.0526
$R_{\rm w} = \{ \sum [w(\Delta F)^2 / w(F_{\rm o})^2] \}^{1/2} b[I > 2\sigma(I)]$	0.1187
$S = \{\Sigma[w(\Delta F)^{2}/(n-p)]\}^{1/2} [l > 2\sigma(l)]$	1.081
Residual electron density/e Å ⁻³	+0.415, -0.333
• •	•

 $^{{}^{}a}\Delta F = |F_{o}| - |F_{c}|$. ${}^{b}W = [\sigma^{2}(F_{o}{}^{2}) + (0.0544P)^{2} + 4.1120P]^{-1}$, where $P = (F_{o}{}^{2} + 2F_{c}{}^{2})/3$.

to use. All other reagents were commercially available and used as received.

Starting materials available by literature procedures. 9-Benzyl-9*H*-purine (**1a**), ¹⁴ 9-(tetrahydro-2*H*-pyran-2-yl)-9*H*-purine (**1b**)¹⁵ and 2-amino-9-benzyl-6-chloro-9*H*-purine (**11**). ^{11c}

Crystallography. Single crystals suitable for X-ray analysis were obtained by crystallization of compound 16 from CHCl₃-hexane. Single-crystal X-ray data were collected with a Siemens SMART CCD diffractometer, 16 and nominally covered a hemisphere of reciprocal space. Data were corrected for Lorentz- and polarization-effects, and Sadabs 17 was used to correct for absorption. The data collection procedure is summarized in Table 4. The structure was solved by direct methods and refined by the least-squares method. 18 Positional parameters for all heavy atoms were refined. Hydrogen atoms were kept in idealized positions, refining a single C–H distance for all H atoms connected to the same C atom. Heavy atoms were refined anisotropically, whereas $U_{\rm iso}$ for the hydro-

Table 5. Fractional coordinates with e.s.d.s and equivalent temperature factors for all non-hydrogen atoms in compound 16.

•				
Atom	X	У	Z	U _{eq} *
S1	0.14298(3)	0.12562(7)	-0.02808(11)	0.0634(3)
01	0.19826(6)	0.1472(2)	0.4540(3)	0.0616(6)
N1	0.23399(7)	0.5585(2)	0.1117(3)	0.0533(7)
N2	0.22336(7)	0.2697(2)	0.1716(3)	0.0537(7)
N3	0.17512(6)	0.3697(2)	0.2588(3)	0.0425(6)
N4	0.18214(7)	0.5586(2)	0.2200(3)	0.0474(6)
C1	0.20814(9)	0.6155(3)	0.1585(4)	0.0548(8)
C2	0.22439(8)	0.4550(2)	0.1447(3)	0.0442(7)
C3	0.23945(9)	0.3571(2)	0.1264(4)	0.0542(8)
C4	0.19263(8)	0.2798(2)	0.2369(4)	0.0446(7)
C5	0.19215(8)	0.4543(2)	0.2120(3)	0.0401(7)
C6	0.17660(9)	0.1786(2)	0.2964(4)	0.0514(8)
C7	0.17321(9)	0.0903(2)	0.1685(4)	0.0552(8)
C8	0.09789(9)	0.1260(2)	0.0195(4)	0.0566(8)
C9	0.07343(11)	0.2044(3)	-0.0503(5)	0.0729(11)
C10	0.03698(13)	0.2038(4)	 0.0293(5)	0.0870(13)
C11	0.02486(13)	0.1260(4)	0.0659(5)	0.0844(13)
C12	0.04909(12)	0.0488(4)	0.1372(5)	0.0840(13)
C13	0.08517(11)	0.0474(3)	0.1136(5)	0.0732(11)
C14	0.15040(9)	0.5980(3)	0.2863(4)	0.0609(10)
C15	0.11595(9)	0.6114(3)	0.1559(4)	0.0556(8)
C16	0.10962(12)	0.7052(3)	0.0667(5)	0.0758(11)
C17	0.0779(2)	0.7196(5)	-0.0498(6)	0.115(2)
C18	0.0520(2)	0.6420(7)	-0.0764(8)	0.130(3)
C19	0.05780(15)	0.5476(6)	0.0077(9)	0.135(2)
C20	0.09031(12)	0.5328(4)	0.1252(6)	0.0930(14)

 $^{^{}a}U_{eq} = S_{i}S_{i}U_{ij}a_{i}^{*}a_{i}^{*}a_{i}^{*}a_{i}a_{i}.$

gen atoms were fixed at $1.2U_{\rm eq}$ of the bonded C atom. The hydroxy H(1) atom bonded to O(1) was localized using the rotating group refinement (AFIX card 147) of SHELXTL¹⁸ and $U_{\rm iso}$ was set to $1.5U_{\rm eq}$ for O(1). The refinement of the structure is summarized in Table 1. Atomic scattering factors are taken from Ref. 19.

9-Benzyl-8-iodo-9H-purine (2a) and 9-benzyl-8-iodo-N⁶succinyladenine (3). A mixture of 9-benzyl-9H-purine 1a (315 mg, 1.5 mmol) and N-iodosuccinimide (844 mg, 3.8 mmol) in dry THF (10 ml) was heated at reflux under N₂ for 48 h, cooled and evaporated. The residue was stirred in dichloromethane (10 ml) and 10 M aq. NaHSO3 was gradually added until the pink colour disappeared. 5% aq. K₂CO₃ (25 ml) was added and the mixture was stirred for 10 min, before the phases were separated. The aqueous layer was extracted with dichloromethane (4×10 ml). The combined organic extracts were dried (MgSO₄) and evaporated in vacuo, and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (4:1) followed by EtOAc-hexane (20:1); yield 440 mg (87%) of compound 2a as colourless crystals and 41 mg (6%) of compound 3 as colourless crystals.

2a. M.p. 195–196 °C. Anal.: C, H. ¹H NMR (CDCl₃, 200 MHz): δ 5.45 (s, 2 H, CH₂), 7.30 (s, 5 H, Ph), 8.92 (s, 1 H, H-2), 9.04 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 50 MHz): δ 48.9 (CH₂), 108.3 (C-8), 127.8, 128.4 and 128.9 (CH in Ph), 134.7, 136.3 (C in Ph/C-5), 147.1

Table 6. Selected bond lengths (Å) and torsion angles (°) with e.s.d.s in compound 16, torsion angles refering to the S enantiomer.

S1-C7	1.808(3)	C6-C7	1.505(4)
S1-C8	1.769(4)	C8-C9	1.380(5)
O1-C6	1.420(4)	C8-C13	1.383(5)
N1-C1	1.302(4)	C9-C10	1.380(5)
N1-C2	1.389(3)	C10-C11	1.371(6)
N2-C3	1.332(4)	C11-C12	1.367(6)
N2-C4	1.340(4)	C12-C13	1.374(5)
N3-C4	1.330(3)	C14-C15	1.491(4)
N3-C5	1.326(3)	C15-C16	1.379(5)
N4-C1	1.361(3)	C15-C20	1.355(5)
N4-C5	1.368(4)	C16-C17	1.361(6)
N4-C14	1.459(4)	C17-C18	1.350(8)
C2-C3	1.370(4)	C18-C19	1.365(8)
C2-C5	1.394(4)	C19-C20	1.386(7)
C4-C6	1.519(4)		
C(5)-N(4)-C(14)-C(15)	92.8(3)	C(4)-C(6)-C(7)-S(1)	-60.5(3)
N(4)-C(14)-C(15)-C(16)	-87.2(4)	C(6)-C(7)-S(1)-C(8)	-71.3(3)
N(4)-C(14)-C(15)-C(20)	93.8(4)	C(7)-S(1)-C(8)-C(9)	140.4(3)
N(3)-C(4)-C(6)-O(1)	– 101.7(3)	C(7)-S(1)-C(8)-C(13)	-44.2(3)
N(3)-C(4)-C(6)-C(7)	133.5(3)	,	

Table 7. Diels-Alder reactions on the 2-vinylpurine 14.

Entry	Temp.	t/h	Catalyst	14:17ª	Yield (%) 17 ^t
1	0 °C−rt	120		89:11°	
2	0 °C−rt	96	ZnCl ₂ (1 equiv.)	65:35°	30
3	0 °C−rt	52	ZnCl ₂ (4 equiv.)	_d	68

^aFrom the ¹H NMR spectrum of the crude product. ^bYields of isolated products. ^cLess than 10% of the *exo* isomer may have been present. ^dNo starting material or *exo* isomer could be observed.

(C-6), 152.5 (C-4), 152.8 (C-2). MS (EI): 336 (68, *M*⁺), 289 (10), 209 (100), 104 (8), 91 (99), 77 (10), 65 (22). 3. M.p. 224–226 °C. Anal.: C, H. ¹H NMR (CDCl₃,

3. M.p. 224–226 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 2.98 (s, 4 H, CH₂CH₂), 5.50 (s, 2 H, CH₂N), 7.2–7.4 (m, 5 H, Ph), 8.93 (s, 1 H, H-2). ¹³C NMR (CDCl₃, 75 MHz): δ 29.0 (CH₂CH₂), 49.5 (CH₂N), 109.8 (C-8), 128.0, 128.6 and 128.9 (CH in Ph), 131.9 (C-5), 134.2 (C in Ph), 142.7 (C-6), 152.5 (C-2), 155.1 (C-4). MS (EI): 433 (70, *M*⁺), 306 (68), 250 (7), 224 (30), 91 (100), 65 (15).

8-Iodo-9-(tetrahydro-2H-pyran-2-yl)-9H-purine (2b). A solution of 9-(tetrahydro-2H-pyran-2-yl)-9H-purine 1b (408 mg, 2.0 mmol) in dry THF (3 ml) was added dropwise over 10 min to a stirred solution of LDA [prepared in situ from butyllithium (1.6 M in hexane, 2.5 ml, 4.0 mmol) and diisopropylamine (0.66 ml, 4.6 mmol) in THF (4 ml)] under N_2 at -78 °C. After 1 h, a solution of iodine (4.0 mmol) in THF (2 ml) was added dropwise over 10 min. The resulting mixture was stirred at -78 °C for 1 h before sat. aq. NH₄Cl (1.2 ml) was added. The mixture was warmed to ambient temperature and evaporated in vacuo, and the product was purified by flash chromatography eluting with EtOAc-hexane (20:1);

yield 615 mg (93%) pale yellow crystals. M.p. $128-129\,^{\circ}$ C. Anal.: C, H. 1 H NMR (CDCl₃, 300 MHz): δ 1.6–1.9 (m, 4 H, THP), 2.1 (m, 1 H, THP), 3.1–3.2 (m, 1 H, THP), 3.7 (m, 1 H, H-6 in THP), 4.1–4.2 (m, 1 H, H-6 in THP), 5.62 (dd, J 11.2 and 2.4 Hz, 1 H, H-2 in THP), 8.85 (s, 1 H, H-2), 8.96 (s, 1 H, H-6). 13 C NMR (CDCl₃, 75 MHz): δ 23.3, 24.6 and 28.8 (CH₂ in THP), 69.3 (C-6 in THP), 86.9 (C-2 in THP), 106.7 (C-8), 136.7 (C-5), 147.2 (C-6), 152.1 (C-4), 152.2 (C-2). MS (EI): 330 (3, M^{+}), 246 (100), 127 (6), 119 (9), 92 (25), 85 (31), 65 (16).

9-Benzyl- N^6 -(3-methoxycarbonylpropionyl)-8-ethenyladenine (4) and 9-benzyl-8-ethenyladenine (5). A mixture 9-benzyl-8-iodo- N^6 -succinyladenine (3) (87 mg, bis(triphenylphosphine)palladium(II) $0.20 \, \mathrm{mmol}$), chloride (7 mg, 0.01 mmol) and ethenyl(tributyl)tin (84 μl, 0.28 mmol) in dry DMF (2 ml) was heated under N₂ at 70 °C for 1.5 h. The reaction mixture was evaporated in vacuo and a sat. solution of potassium fluoride in methanol (5 ml) was added to the residue. The resulting mixture was stirred at ambient temperature for 45 min and evaporated in vacuo, and the crude product was purified by flash chromatography eluting with EtOAc-hexane (20:1) followed by EtOAc-acetone (6:1); yield 15 mg (20%) of compound 4 as colourless crystals and 40 mg (79%) of compound 5 as colourless crystals.

4. M.p. 133–134 °C. ¹H NMR (CDCl₃, 500 MHz): δ 2.73 (t, *J* 6.7 Hz, 2 H, CH₂), 3.27 (t, *J* 6.4 Hz, 2 H, CH₂), 3.64 (s, 3 H, CH₃), 5.42 (s, 2 H, CH₂N), 5.65 (dd, *J* 10.8 and 1.0 Hz, 1 H, =CH₂), 6.49 (dd, *J* 17.4 and 1.0 Hz, 1 H, =CH₂), 6.65 (dd, *J* 17.4 and 10.8 Hz, 1 H, =CH), 7.1 (m, 2 H, Ph), 7.2–7.3 (m, 3 H, Ph), 8.60 (s, 2 H, H-2 and NH). ¹³C NMR (CDCl₃, 75 MHz): δ 28.7 (CH₂), 32.9 (CH₂), 45.8 (CH₂N), 51.8 (CH₃), 121.3

(C-5), 122.5 (=CH₂), 125.3 (=CH), 126.8, 128.2 and 129.0 (CH in Ph), 135.4 (C in Ph), 148.2 (C-6), 150.7 (C-8), 152.1 (C-2), 152.5 (C-4), 171.7, 173.1 (C=O). MS (EI): 365 (3, M^+), 361 (7), 333 (37), 292 (8), 251 (12), 197 (8), 182 (37), 122 (19), 91 (60), 44 (100). HRMS: Found: 365.1501. Calc. for $C_{19}H_{19}N_5O_3$: 365.1488.

5. M.p. 194 °C. Anal.: C, H. ¹H NMR (DMSO- d_6 – C_6D_6 , 500 MHz): δ 5.38 (s, 2 H, CH₂), 5.45 (dd, J 11.2 and 1.8 Hz, 1 H, =CH₂), 6.27 (dd, J 17.0 and 1.8 Hz, 1 H, =CH₂), 6.84 (dd, J 17.0 and 11.2 Hz, 1 H, =CH), 7.1–7.2 (m, 5 H, Ph), 7.32 (s, 2 H, NH₂), 8.15 (s, 1 H, H-2). ¹³C NMR (DMSO- d_6 , 75 MHz): δ 44.9 (CH₂), 118.9 (C-5), 122.2 (=CH₂), 124.1 (=CH), 127.2, 127.9 and 129.1 (CH in Ph), 137.5 (C in Ph), 147.8 (C-8), 150.9 (C-4), 153.0 (C-2), 156.0 (C-6). MS (EI): 251 (100, M^+), 236 (11), 224 (7), 208 (7), 149 (8), 91 (98), 65 (18).

9-Benzyl-8-ethenyl-9H-purine (6a). A mixture of 9-benzyl-8-iodo-9*H*-purine **2a** (336 mg, 1.0 mmol), bis(triphenylphosphine)palladium(II) chloride (36 mg, 0.05 mmol) and ethenyl(tributyl)tin (420 µl, 1.40 mmol) in dry DMF (4 ml) was heated at 70 °C under N₂ for 25 h and cooled. A sat. solution of potassium fluoride in methanol (20 ml) was added and the resulting mixture was stirred at ambient temperature for 4 h and evaporated in vacuo together with a small amount of silica gel. The residue was added to the top of a silica gel column and the product was isolated by flash chromatography eluting with EtOAc-hexane (10:1); yield 215 mg (91%) colourless crystals. M.p. 140-141 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 5.50 (s, 2 H, CH₂), 5.75 (dd, J 9.9 and 2.5 Hz, 1 H, =CH₂), 6.7 (m, 2 H, =CH₂ and CH=), 7.1 (m, 2 H, Ph), 7.3 (m, 3 H, Ph), 8.93 (s, 1 H, H-2), 9.07 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 45.5 (CH₂), 122.5 (=CH₂), 126.3 (CH=), 126.8, 128.2 and 129.0 (CH in Ph), 133.7, 135.3 (C in Ph/C-5), 147.5 (C-6), 152.5 (C-2), 152.6, 152.9 (C-4/ C-8). MS (EI): 236 (89, M^+), 221 (9), 209 (10), 182 (10), 149 (13), 134 (11), 105 (15), 91 (100), 77 (12), 65 (20).

8-Ethenyl-9-(tetrahydro-2H-pyran-2-yl)-9H-purine (**6b**). A mixture of 8-iodo-9-(tetrahydro-2H-pyran-2-yl)-9Hpurine 2b (660 mg, 2.0 mmol) bis(triphenylphosphine)palladium(II) chloride (72 mg, 0.10 mmol), and ethenyl-(tributyl)tin (830 µl, 2.8 mmol) in dry dichloroethane (10 ml) was heated at 60 °C under N₂ for 5 h and cooled. The reaction mixture was evaporated *in vacuo* and a sat. solution of potassium fluoride in methanol (40 ml) was added to the residue. The resulting mixture was stirred at ambient temperature for 4 h and evaporated in vacuo together with a small amount of silica gel. The residue was added to the top of a silica gel column and the product was isolated by flash chromatography eluting with EtOAc-hexane (2:1) followed by EtOAc-hexane crystals. (4:1); yield 431 mg (94%) colourless M.p. 99–100 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.7–1.9 (m, 4 H, THP), 2.1–2.4 (m, 2 H, THP), 3.7-3.8 (m, 1 H, H-6 in THP), 4.2 (m, 1 H, H-6 in THP), 5.78 (dd, J 11.2 and 1.5 Hz, 1 H, CH₂=), 5.95 (dd, J 11.2 and 2.5 Hz, 1 H, H-2 in THP), 6.63 (dd, J 17.2 and 1.5 Hz, 1 H, CH₂=), 7.19 (dd, J 17.2 and 11.2 Hz, 1 H, CH=), 8.89 (s, 1 H, H-2), 9.03 (s, 1 H, H-6). 13 C NMR (CDCl₃, 50 MHz): δ 23.1, 24.9 and 31.4 (CH₂ in THP), 69.3 (C-6 in THP), 82.3 (C-2 in THP), 124.9, 125.3 (CH₂=/CH=), 133.4 (C-5), 147.5 (C-6), 151.7 (C-4), 152.1 (C-2), 152.9 (C-8). MS (EI): 230 (25, M⁺), 147 (100), 120 (9), 85 (88), 67 (22).

9-Benzyl-8-(2-methoxyethyl)-9H-purine (7a). 9-Benzyl-8-ethenyl-9H-purine (59 mg, 0.25 mmol) was dissolved in dry dichloroethane (3 ml) and the mixture was stirred at ambient temperature under N₂ for 10 min before a 25% solution of sodium methoxide in methanol (69 μl, 0.30 mmol) was added. The reaction was quenched with glacial acetic acid (22 µl, 0.38 mmol) after being stirred at ambient temperature for 4 h. The resulting mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-acetone (6:1); yield 57 mg (85 %) pale yellow oil. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 3.06 (t, J 4.3 Hz, 2 H, CH₂), 3.29 (s, 3 H, CH₃), 3.80 (t, J 4.3 Hz, 2 H, CH₂O), 5.49 (s, 2 H, CH₂N), 7.1 (m, 2 H, Ph), 7.3 (m, 3 H, Ph), 8.92 (s, 1 H, H-2), 9.02 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 28.9 (CH₂), 45.5 (CH₂N), 58.9 (CH₃), 69.6 (CH₂O), 127.0, 128.1 and 129.0 (CH in Ph), 133.3 (C-5), 135.4 (C in Ph), 146.9 (C-6), 152.2 (C-2), 152.8 (C-4), 156.2 (C-8). MS (EI): 268 (22, M^+), 253 (31), 238 (43), 223 (10), 91 (100), 65 (13).

8-(2-Methoxyethyl)-9-(tetrahydro-2H-pyran-2-yl)-9Hpurine (7b). 8-Ethenyl-9-(tetrahydro-2*H*-pyran-2-yl)-9H-purine **6b** (115 mg, 0.50 mmol) was dissolved in dry dichloroethane (5 ml) and the mixture was stirred at ambient temperature under N₂ for 10 min before a 25% solution of sodium methoxide in methanol (137 µl, 0.60 mmol) was added. The reaction was quenched with glacial acetic acid (45 μ l, 0.76 mmol) after 4 h, the resulting mixture was evaporated in vacuo, and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-acetone (6:1); yield 120 mg (91%) colourless crystals. M.p. 64-65 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.8 (m, 4 H, THP), 2.1 (m, 1 H, THP), 2.5–2.7 (m, 1 H, THP), 3.3–3.4 (m, 5 H, CH₃ and CH₂), 3.7 (m, 1 H, H-6 in THP), 3.9–4.1 (m, 2 H, CH₂O), 4.1–4.2 (m, 1 H, H-6 in THP), 5.78 (dd, J 11.3 and 2.5 Hz, 1 H, H-2 in THP), 8.87 (s, 1 H, H-2), 8.96 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 23.2, 24.8, 29.8, 30.1 (CH₂ in THP and CH₂Pur), 58.9, 69.2 (CH₂O/CH₃O), 69.7 (C-6 in THP), 83.1 (C-2 in THP), 133.2 (C-5), 147.0 (C-6), 151.8 (C-2), 152.1 (C-4), 155.7 (C-8). MS (EI): 262 (7, M^+), 247 (11), 179 (51), 163 (46), 148 (64), 85 (72), 67 (21).

9-Benzyl-8-(2-phenylthioethyl)-9H-purine (7c). Sodium hydride (8 mg, 0.33 mmol) was added to a solution of benzenethiol (31 μ l, 0.30 mmol) in dry dichloroethane

(1 ml) at ambient temperature under N₂. After 10 min, a solution of 9-benzyl-8-ethenyl-9H-purine (59 mg, 0.25 mmol) in dry dichloroethane (2 ml) was added and the resulting mixture was stirred for 4 h before glacial acetic acid (20 µl, 0.35 mmol) was added. The mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (2:1); yield 73 mg (84%) pale yellow oil. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 3.1 (m, 2 H, CH₂), 3.4 (m, 2 H, CH₂S), 5.35 (s, 2 H, CH₂N), 7.0-7.3 (m, 10 H, Ph), 8.93 (s, 1 H, H-2), 9.03 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 28.3 (CH₂), 30.8 (CH₂S), 45.5 (CH₂N), 126.6–129.9 (CH in Ph), 133.3 (C-5), 134.8 and 135.1 (C in Ph), 147.0 (C-6), 152.3 (C-2), 152.7 (C-4), 156.2 (C-8). MS (EI): 346 (45, M^+), 313 (11), 277 (38), 255 (12), 237 (22), 224 (41), 201 (7), 121 (9), 109 (11), 91 (100).

8-(2-Phenylthioethyl)-9-(tetrahydro-2H-pyran-2-yl)-9Hpurine (7d). Sodium hydride (14 mg, 0.60 mmol) was added to a solution of benzenethiol (62 µl, 0.61 mmol) in dry DCE (2 ml) at ambient temperature under N₂. After 10 min, a solution of 8-ethenyl-9-(tetrahydro-2*H*pyran-2-yl)-9*H*-purine **6b** (115 mg, 0.50 mmol) in dry dichloroethane (5 ml) was added and the resulting mixture was stirred for 4 h before glacial acetic acid (40 µl, 0.69 mmol) was added. The mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (2:1); yield 145 mg (85%) pale yellow oil. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.6–2.4 (m, 6 H, THP), 3.3-3.7 (m, 5 H, CH₂CH₂ and H-6 in THP), 4.1 (m, 1 H, H-6 in THP), 5.72 (dd, J 11.2 and 2.5 Hz, 1 H, H-2 in THP), 7.2–7.4 (m, 5 H, Ph), 8.87 (s, 1 H, H-2), 8.98 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 23.0 and 24.7 (CH₂ in THP), 29.7 (CH₂), 30.4, 31.1, (CH₂ in THP/CH₂S), 69.1 (C-6 in THP), 82.7 (C-2 in THP), 126.5, 129.0 and 129.8 (CH in Ph), 133.1 (C-5), 135.3 (C in Ph), 147.1 (C-6), 151.9 (C-2), 152.1 (C-4), 156.1 (C-8). MS (EI): 339 (5, M⁺), 277 (24), 256 (72), 223 (45), 210 (19), 147 (100), 134 (88), 123 (26), 109 (12), 85 (25).

9-Benzyl-8-[3,3-bis(ethoxycarbonyl) propyl]-9H-purine (7e) and diethyl bis[(9-benzyl-8-purinyl) ethyl] malonate (8a). Diethyl malonate (46 μ l, 0.30 mmol) was added to a stirred suspension of sodium hydride (7.5 mg, 0.30 mmol) in dry THF (2 ml) at ambient temperature under N₂. After 10 min, a solution of 9-benzyl-8-ethenyl-9H-purine 6b (59 mg, 0.25 mmol) in THF (2 ml) was added and the resulting mixture stirred at ambient temperature for 3 h. The reaction was quenched with glacial acetic acid (22 μ l, 0.38 mmol), evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (3:1) followed by EtOAc-MeOH (10:1); yield 62 mg (63%) of compound 7e as colourless crystals and 17 mg (22%) of compound 8a as a colourless oil.

7e. M.p. 70–71 °C. Anal.: C, H. 1 H NMR (CDCl₃, 200 MHz): δ 1.21 (t, J 7.1 Hz, δ H, $2 \times$ CH₃), 2.41 (q, J

7.4 Hz, 2 H, CH₂), 2.90 (t, *J* 7.3 Hz, 2 H, CH₂), 3.55 [t, *J* 7.2 Hz, 1 H, C*H*(CO₂Et)₂], 4.14 (m, 4 H, 2 × C*H*₂CH₃), 5.45 (s, 2 H, CH₂N), 7.1–7.4 (m, 5 H, Ph), 8.94 (s, 1 H, H-2), 9.03 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 50 MHz): 8 14.0 (CH₃), 25.3 (CH₂), 25.4 (CH₂), 45.5 (CH₂N), 50.6 [CH(CO₂Et)₂], 61.5 (CH₂CH₃), 127.0, 128.2 and 129.0 (CH in Ph), 133.3 (C-5), 135.2 (C in Ph), 146.9 (C-6), 152.2 (C-2), 152.9 (C-4), 156.7 (C-8), 168.8 (C=O). MS (EI): 396 (23, M^+), 351 (15), 277 (8), 237 (100), 223 (8), 159 (4), 91 (96), 65 (7).

8a. ¹H NMR (CDCl₃, 200 MHz): δ 1.13 (t, J 7.1 Hz, 6 H, $2 \times$ CH₃), 2.44 (m, 4 H, $2 \times$ CH₂), 2.82 (m, 4 H, $2 \times$ CH₂), 4.07 (q, J 7.1 Hz, 4 H, $2 \times$ CH₂CH₃), 5.43 (s, 4 H, $2 \times$ CH₂N), 7.0–7.3 (m, 10 H, Ph), 8.93 (s, 2 H, H-2), 9.00 (s, 2 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 14.0 (CH₃), 23.4 (CH₂), 30.3 (CH₂), 45.4 (CH₂N), 56.4 [C(CO₂Et)₂], 61.7 (CH₂CH₃), 127.0, 128.2 and 129.0 (CH in Ph), 133.2 (C-5), 135.3 (C in Ph), 146.8 (C-6), 152.3 (C-2), 152.9 (C-4), 157.0 (C-8), 170.4 (C=O). MS (EI): 632 (9, M⁺), 587 (6), 396 (17), 237 (27), 224 (82), 209 (5), 91 (100), 65 (5).

8-[3,3-Bis(ethoxycarbonyl)propyl]-9-(tetrahydro-2Hpyran-2-yl)-9H-purine (7f) and diethyl bis[(9-(tetrahydro-2H-pyran-2-yl)-8-purinyl) ethyl|malonate Diethyl malonate (46 µl, 0.30 mmol) was added to a stirred suspension of sodium hydride (7.3 mg, 0.30 mmol) in dry THF (2 ml) at ambient temperature under N₂. After 10 min, a solution of 8-ethenyl-9-(tetrahydro-2H-pyran-2-yl)-9H-purine **6b** (58 mg, 0.25 mmol) in THF (2 ml) was added and the resulting mixture stirred at ambient temperature for 3 h. The reaction was quenched with glacial acetic acid (22 µl, 0.38 mmol), the mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (3:1 followed by 1:1); yield 60 mg (62 %) of compound 7f as pale yellow crystals and 12 mg (15 %) of compound **8b** as colourless crystals.

7f. M.p. 58–59 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.23 (t, *J* 7.1 Hz, 6 H, 2×CH₃), 1.6–2.1 (m, 5 H, THP), 2.5 (m, 2 H, CH₂), 2.5–2.7 (m, 1 H, THP), 3.1–3.2 (m, 2 H, CH₂), 3.60 [t, *J* 7.2 Hz, 1 H, CH(CO₂Et)₂], 3.7–3.8 (m, 1 H, H-6 in THP), 4.1–4.2 (m, 5 H, 2×CH₂CH₃ and H-6 in THP), 5.77 (dd, *J* 11.3 and 2.5 Hz, 1 H, H-2 in THP), 8.87 (s, 1 H, H-2), 8.97 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 14.0 (CH₃), 23.2 and 24.8 (CH₂ in THP), 26.0 (CH₂), 26.6 (CH₂), 30.1 (CH₂ in THP), 50.9 [CH(CO₂Et)₂], 61.5 (CH₂CH₃), 69.1 (C-6 in THP), 82.9 (C-2 in THP), 133.2 (C-5), 146.9 (C-6), 151.9 (C-2), 152.2 (C-4), 156.8 (C-8), 169.0 (C=O). MS (EI): 390 (0.3, *M*⁺), 306 (19), 224 (50), 215 (21), 159 (10), 147 (100), 134 (14), 85 (18).

8b. M.p. 129–131 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.2–1.3 (m, 6 H, 2×CH₃), 1.6–2.1 (m, 10 H, THP), 2.5–2.6 (m, 6 H, 3×CH₂), 3.1 (m, 4 H, 2×CH₂), 3.7 (m, 2 H, H-6 in THP), 4.2 (m, 2 H, H-6 in THP), 4.2–4.3 (m, 4 H, 2×CH₂CH₃), 5.82 (d, *J* 10.8 Hz, 2 H, H-1 in THP), 8.88 (s, 2 H, H-2), 8.96 (s, 2 H, H-6).

¹³C NMR (CDCl₃, 75 MHz): δ 14.0 (CH₃), 23.1 (CH₂ in THP), 24.5 (CH₂), 24.7 and 30.2 (CH₂ in THP), 30.9 (CH₂), 56.6 [*C*(CO₂Et)₂], 61.6 (*C*H₂CH₃), 69.1 (C-6 in THP), 82.8 (C-2 in THP), 133.5 (C-5), 146.8 (C-6), 151.8 (C-2), 152.2 (C-4), 157.1 (C-8), 170.7 (C=O). MS (EI): 620 (3, *M*⁺), 536 (10), 452 (23), 407 (17), 360 (17), 333 (27), 306 (32), 215 (21), 147 (69), 134 (100).

endo-9-Benzyl-8-(bicyclo[2.2.1.]hept-5-en-2-yl)-9H-purine (9) and exo-9-benzyl-8-(bicyclo[2.2.1.]hept-5-en-2-yl)-9H-purine (10). Freshly cracked cyclopentadiene (132 mg, 2.0 mmol) was added to a stirred solution of 9-benzyl-8-ethenyl-9H-purine (94 mg, 0.4 mmol) in dry dichloromethane (5 ml) at 0 °C under N_2 . The resulting mixture was stirred for 110 h, during which it gradually reached ambient temperature, and evaporated in vacuo. The products were separated by flash chromatography on silica gel eluting with EtOAc-hexane (1:1); yield 88 mg (73%) of compound 9 as a colourless oil and 15 mg (12 %) of compound 10 as a pale yellow oil. The exo isomer 10 eluted first.

9. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.4 (m, 1 H, H-7'), 1.5 (m, 1 H, H-7'), 1.8 (m, 1 H, H-3'), 2.1 (m, 1 H, H-3'), 3.0 (m, 1 H, H-4'), 3.1 (m, 1 H, H-1'), 3.4 (m, 1 H, H-2'), 5.48 (d, J 16.2 Hz, 1 H, H_A in CH₂N), 5.51 (d, J 16.2 Hz, 1 H, H_B in CH₂N), 5.76 (dd, J 5.6 and 2.9 Hz, 1 H, H-6'), 6.30 (dd, J 5.6 and 3.1 Hz, 1 H, H-5'), 7.1 (m, 2 H, Ph), 7.3 (m, 3 H, Ph), 8.87 (s, 1 H, H-2), 9.00 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 31.4 (C-3'), 37.2 (C-2'), 42.6 (C-4'), 45.4 (CH₂N), 46.8 (C-1'), 50.1 (C-7'), 126.5, 128.1 and 129.0 (CH in Ph), 131.9 (C-6'), 133.0 (C-5), 135.6 (C in Ph), 137.7 (C-5'), 146.8 (C-6), 152.0 (C-2), 153.2 (C-4), 160.4 (C-8). MS (EI): 302 (74, M⁺), 287 (4), 261 (7), 235 (28), 224 (14), 211 (13), 182 (5), 91 (100), 65 (16).

10. ¹H NMR (CDCl₃, 300 MHz): δ 1.4 (m, 1 H, H-7'), 1.5 (m, 1 H, H-3'), 1.9 (m, 1 H, H-7'), 2.2 (m, 1 H, H-3'), 2.7–2.8 (m, 2 H, H-2' and H-1'), 3.0 (m, 1 H, H-4'), 5.38 (d, *J* 15.9 Hz, 1 H, H_A in CH₂N), 5.56 (d, *J* 15.9 Hz, 1 H, H_B in CH₂N), 6.06 (dd, *J* 3.0 and 2.6 Hz, 1 H, H-6'), 6.19 (dd, *J* 3.0 and 2.7 Hz, 1 H, H-5'), 7.1 (m, 2 H, Ph), 7.3 (m, 3 H, Ph), 8.93 (s, 1 H, H-2), 9.04 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 32.2 (C-3'), 37.3 (C-2'), 42.1 (C-4'), 45.6 (CH₂N), 46.1 (C-7'), 47.7 (C-1'), 127.1, 128.3 and 129.0 (CH in Ph), 133.2 (C-5), 135.5 (C in Ph), 135.8 (C-6'), 138.7 (C-5'), 146.3 (C-6), 151.8 (C-2), 153.3 (C-4), 162.0 (C-8). MS (EI): 302 (23, *M*⁺), 237 (100), 235 (30), 221 (5), 209 (8), 182 (4), 134 (4), 91 (89), 65 (13). HRMS: Found: 302.1532. Calc. for C₁₉H₁₈N₄: 302.1531.

2-Amino-9-benzyl-9H-purine (12). A mixture of 2-amino-9-benzyl-6-chloro-9H-purine (779 mg, 3.0 mmol), magnesium oxide (486 mg, 12.1 mmol) and 5% Pd–C (340 mg) in EtOH (50 ml) and H_2O (50 ml) was reduced in a Parr apparatus for 5 h at ambient temperature and a 40–50 psi pressure of H_2 . The reaction mixture was filtered and evaporated to dryness *in vacuo*, and the crude product was purified by flash chromatography on

silica gel eluting with EtOAc–MeOH (10:1); yield 589 mg (87%) colourless crystals. M.p. 180–182 °C. Anal.: C, H. ¹H NMR (DMSO- d_6 , 300 MHz): δ 5.28 (s, 2 H, CH₂N), 6.53 (s, 2 H, NH₂), 7.3 (m, 5 H, Ph), 8.15 (s, 1 H, H-8), 8.59 (s, 1 H, H-6). ¹³C NMR (DMSO- d_6 , 75 MHz): δ 45.4 (CH₂N), 126.7 (C-5), 127.1, 127.6 and 128.7 (CH in Ph), 137.0 (C in Ph), 142.8 (C-8), 149.1 (C-6), 152.9 (C-4), 160.7 (C-2). MS (EI): 225 (73, M^+), 148 (4), 91 (100), 65 (14).

9-Benzyl-2-iodo-9H-purine (13). To a stirred solution of 2-amino-9-benzyl-9H-purine (225 mg, 1.0 mmol) in dry THF (12 ml) at ambient temperature under N_2 was added copper(I) iodide (25 mg, 0.13 mmol), diiodomethane (0.85 ml, 10.2 mmol) and isopentyl nitrite (0.82 ml, 6.2 mmol). The resulting mixture was heated at 60 °C for 2 h, cooled and evaporated in vacuo. The residue was stirred in dichloromethane (5 ml) and 1 M aq. NaHSO₃ was gradually added until the pink colour disappeared. The phases were separated and the aqueous layer was extracted with dichloromethane $(4 \times 5 \text{ ml})$. The combined organic extracts were dried (MgSO₄) and evaporated, and the product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (2:1); yield 189 mg (56%) colourless crystals. M.p. 174–175 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 5.37 (s, 2 H, CH₂N), 7.3–7.4 (m, 5 H, Ph), 7.91 (s, 1 H, H-8), 8.84 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 47.3 (CH₂N), 119.6 (C-2), 128.1, 128.8 and 129.2 (CH in Ph), 133.8 (C-5), 134.4 (C in Ph), 145.1 (C-8), 149.7 (C-6), 152.6 (C-4). MS (EI): 336 $(72, M^+)$, 297 (4), 272 (5), 243 (17), 209 (36), 167 (6), 141 (6), 127 (7), 115 (15), 91 (100).

9-Benzyl-2-ethenyl-9H-purine (14). A mixture of 9-benzyl-2-iodo-9H-purine (336 mg, 1.0 mmol), bis(triphenylphosphine)palladium(II) chloride 0.05 mmol) and ethenyl(tributyl)tin (420 µl, 1.4 mmol) in dry DMF (4 ml) was heated at 60 °C under N₂ for 20 h and evaporated in vacuo. A sat. solution of potassium fluoride in methanol (20 ml) was added to the residue and the resulting mixture was stirred at ambient temperature for 4 h and evaporated in vacuo together with a small amount of silica gel. The residue was added to the top of a silica gel column and the product was isolated by flash chromatography eluting with EtOAchexane (2:1); yield 222 mg (94%) colourless crystals. M.p. 77-78 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 5.42 (s, 2 H, CH₂N), 5.70 (dd, J 10.5 and 1.7 Hz, 1 H, =CH₂), 6.64 (dd, J 17.3 and 1.8 Hz, 1 H, =CH₂), 6.98 (dd, J 17.3 and 10.5 Hz, 1 H, CH=), 7.3 (m, 5 H, Ph), 7.98 (s, 1 H, H-8), 9.09 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 47.0 (CH₂N), 122.7 (CH₂=), 128.0, 128.6 and 129.1 (CH in Ph), 132.5 (C-5), 135.1 (C in Ph), 136.7 (CH=), 145.1 (C-8), 148.5 (C-6), 151.9 (C-4), 159.2 (C-2). MS (EI): 236 (82, M⁺), 208 (5), 183 (8), 159 (11), 118 (5), 91 (100), 65 (20).

9-Benzyl-2-(2-phenylthioethyl)-9H-purine (15a) and 9-benzyl-2-(2-phenylthio-1-hydroxyethyl)-9H-purine (16). A mixture of 9-benzyl-2-ethenyl-9H-purine (47 mg, 0.2 mmol) and benzenethiol (50 µl, 0.48 mmol) in dry dichloroethane (3 ml) was stirred for 24 h at ambient temperature under Ar. The mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (2:1) followed by EtOAc-hexane (10:1); yield 51 mg (74%) of compound 15a as a pale yellow oil and 7 mg (10%) of compound 16 as colorless crystals.

15a. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 3.4 (m, 2 H, CH₂), 3.5 (m, 2 H, CH₂), 5.38 (s, 2 H, CH₂N), 7.1–7.4 (m, 10 H, Ph), 7.97 (s, 1 H, H-8), 9.03 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 32.4 (CH₂), 38.9 (CH₂), 47.0 (CH₂N), 126.0, 128.0, 128.6, 128.8, 129.1, and 129.5 (CH in Ph), 132.1 (C-5), 135.1 (C in Ph), 136.2 (C in PhS), 144.6 (C-8), 148.5 (C-6), 151.9 (C-4), 163.4 (C-2). MS (EI): 346 (24, *M*⁺), 313 (14), 269 (8), 237 (59), 224 (65), 169 (6), 123 (13), 109 (5), 91 (100), 77 (6).

16. M.p. 124-125 °C. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 3.54 (dd, J 15.1 and 5.6 Hz, 1 H, H_A in CH₂), 3.64 (dd, J 15.1 and 4.2 Hz, 1 H, H_B in CH₂), 4.52 (d, J 6.0 Hz, 1 H, OH), 5.2 (m, 1 H, CH), 5.36 (s, 2 H, CH₂N), 7.0–7.1 (m, 3 H, Ph), 7.2–7.4 (m, 7 H, Ph), 8.01 (s, 1 H, H-8), 9.00 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 41.8 (CH₂), 47.2 (CH₂N), 72.1 (CH), 125.8, 128.0, 128.5, 128.8, 129.2 and 129.6 (CH in Ph), 132.8 (C-5), 134.7 and 136.0 (C in Ph), 145.2 (C-8), 148.0 (C-6), 151.5 (C-4), 163.1 (C-2). MS (EI): 362 (3), 346 (4), 345 (14), 344 (38), 311 (5), 267 (22), 253 (6), 239 (61), 167 (7), 123 (8), 91 (100), 65 (12).

9-Benzyl-2-[3,3-bis(ethoxycarbonyl)propyl]-9H-purine (15b). Diethyl malonate (184 µl, 1.2 mmol) was added to a stirred suspension of sodium hydride (30 mg, 1.2 mmol) in dry THF (1.5 ml) at ambient temperature under N₂. After 10 min, a solution of 9-benzyl-2-ethenyl-9H-purine (47 mg, 0.2 mmol) in THF (3 ml) was added and the resulting mixture was stirred at ambient temperature for 96 h. The reaction was quenched with glacial acetic acid (88 µl, 1.5 mmol), the resulting mixture was evaporated in vacuo and the crude product was purified by flash chromatography on silica gel eluting with EtOAc-hexane (2:1) followed by EtOAc-hexane (10:1); yield 56 mg (70%) colourless oil. Anal.: C, H. ¹H NMR (CDCl₃, 200 MHz): δ 1.24 (t, J 7.1 Hz, 6 H, 2×CH₃), 2.50 (q, J 7.5 Hz, 2 H, CH₂), 3.13 (t, J 7.5 Hz, 2 H, CH_2), 3.53 [t, J 7.5 Hz, 1 H, $CH(CO_2Et)_2$], 4.17 (q, J 7.0 Hz, 4 H, $2 \times CH_2CH_3$), 5.39 (s, 2 H, CH_2N), 7.1–7.4 (m, 5 H, Ph), 7.96 (s, 1 H, H-8), 9.03 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 14.1 (CH₃), 27.3 (CH₂), 36.4 (CH₂), 47.0 (CH₂N), 51.3 [CH(CO₂Et)₂], 61.3 (CH₂CH₃), 128.1, 128.6 and 129.1 (CH in Ph), 132.0 (C-5), 135.2 (C in Ph), 144.5 (C-8), 148.5 (C-6), 151.9 (C-4), 164.1 (C-2), 169.4 (C=O). MS (EI): 396 $(9, M^+)$,

351 (15), 323 (9), 305 (11), 277 (9), 237 (100), 224 (25), 91 (62).

endo-9-Benzyl-2-(bicyclo[2.2.1.]hept-5-en-2-yl)-9H-purine (17). Freshly cracked cyclopentadiene (66 mg, 1.0 mmol) was added to a stirred solution of 9-benzyl-2ethenyl-9H-purine (47 mg, 0.2 mmol) and zinc chloride (109 mg, 0.8 mmol) in dry dichloromethane (3 ml) at 0°C under N₂. The resulting mixture was stirred for 52 h, during which it reached ambient temperature, and evaporated in vacuo. The product was isolated by flash chromatography on silica gel eluting with EtOAc-hexane (10:1); yield 41 mg (68%) colourless oil. Anal.: C, H. ¹H NMR (CDCl₃, 300 MHz): δ 1.2 (m, 2 H, H-7'), 1.5 (m, 1 H, H-3'), 1.9 (m, 1 H, H-3'), 3.0 (m, 1 H, H-4'), 3.5 (m, 1 H, H-1'), 3.8 (m, 1 H, H-2'), 5.39 (d, J 15.0 Hz, 1 H, H_A in CH_2N), 5.41 (d, J 15.0 Hz, 1 H, H_B in CH₂N), 5.66 (dd, J 5.6 and 2.8 Hz, 1 H, H-6'), 6.13 (dd, J 5.6 and 3.0 Hz, 1 H, H-5'), 7.3 (m, 5 H, Ph), 7.97 (s, 1 H, H-8), 9.01 (s, 1 H, H-6). ¹³C NMR (CDCl₃, 75 MHz): δ 31.0 (C-3'), 43.0 (C-4'), 47.0 and 47.1 (C-2'/CH₂N), 47.9 (C-1'), 59.9 (C-7'), 128.2, 128.6 and 129.0 (CH in Ph), 131.5 (C-5), 132.9 (C-6'), 135.3 (C in Ph), 137.0 (C-5'), 144.5 (C-8), 147.5 (C-6), 151.6 (C-4), 167.1 (C-2). MS (EI): 302 (73, M⁺), 287 (14), 248 (7), 235 (53), 224 (24), 209 (6), 183 (7), 159 (7), 91 (100), 65 (17).

Acknowledgements. F.L. gratefully acknowledges a Norwegian Government Scholarship administered by the Research Council of Norway. The authors thank the Research Council of Norway for financing of the 200, 300 and 500 MHz Bruker Spectrospin Avance instruments and the Siemens SMART diffractometer used in this study.

References

- 1. Øverås, A. T., Bakkestuen, A. K., Gundersen, L.-L. and Rise, F. Acta Chem. Scand. 51 (1997) 1116.
- Øverås, A. T., Gundersen, L.-L. and Rise, F. Tetrahedron 53 (1997) 1777.
- Bråthe, A., Gundersen, L.-L., Rise, F., Eriksen, A. B., Vollsnes, A. V. and Wang, L. Tetrahedron 55 (1999) 211.
- (a) Van Aerschot, A. A., Mamos, P., Weyns, N. J., Ikeda, S., De Clercq, E. and Herdewijn, P. A. J. Med. Chem. 36 (1993) 2938;
 (b) Manfredini, S., Baraldi, P. G., Bazzanini, R., Marangoni, M., Simoni, D., Balzarini, J. and De Clercq, E. J. Med. Chem. 38 (1995) 199.
- (a) Nair, V., Turner, G. A. and Chamberlain, S. D. J. Am. Chem. Soc. 109 (1987) 7223; (b) Nair, V., Turner, G. A., Buenger, G. S. and Chamberlain, S. D. J. Org. Chem. 53 (1988) 3051; (c) Nair, V. and Buenger, G. S. Synthesis (1988) 848; (d) Nair, V., Purdy, D. F. and Sells, T. B. J. Chem. Soc., Chem. Commun. (1989) 878; (e) Nair, V. and Lyons, A. G. Tetrahedron 45 (1989) 3653; (f) Nair, V. and Lyons, A. G. Tetrahedron 46 (1990) 7677.
- Zhang, H.-Z., Rao, K., Carr, S. F., Papp, E., Straub, K., Wu, J. C. and Fried, J. J. Med. Chem. 40 (1997) 4.
- For other examples of lithiation iodination in the purine 8-position, see for instance: (a) Hayakawa, H., Tanaka, H., Sasaki, K., Haraguchi, K., Saitoh, T., Takai, F. and Miyasaka, T. J. Heterocycl. Chem. 26 (1989) 189; (b)

- Kato, K., Hayakawa, H., Tanaka, H., Kumamoto, H. and Miyasaka, T. *Tetrahedron Lett.* 36 (1995) 6507; (c) Kato, K., Hayakawa, H., Tanaka, H., Kumamoto, H., Shindoh, S., Shuto, S. and Miyasaka, T. *J. Org. Chem.* 62 (1997) 6833; (d) Nolsøe, J. M. J., Gundersen, L.-L. and Rise, F. *Synth. Commun.* 28 (1998) 4303.
- 8. Andresen, G.; Gundersen, L.-L. and Rise, F. *Tetrahedron* 52 (1996) 12979.
- For other examples of succinyl group cleavage on related adenine derivatives, see: Kume, A., Iwase, R., Sekine, M. and Hata, T. Nucleic Acids Res. 12 (1984) 8525.
- (a) Hurd, R. E. and John, B. K. J. Magn. Reson. 91 (1991) 648; (b) Vuister, G. W., Boelens, R., Kaptein, R., Hurd, R. E., John, B. and Van Zijl, P. C. M. J. Am. Chem. Soc. 113 (1991) 9688; (c) Tyburn, J.-M., Brereton, I. M. and Doddrell, D. M. J. Magn. Reson. 97 (1992) 305.
- (a) Gundersen, L.-L., Langli, G. and Rise, F. Tetrahedron Lett. 36 (1995) 1945; (b) Andresen, G., Gundersen, L.-L., Lundmark, M., Rise, F. and Sundell, S. Tetrahedron 51 (1995) 3655; (c) Langli, G., Gundersen, L.-L. and Rise, F. Tetrahedron 52 (1996) 5625.

- Nair, V., Young, D. A. and DeSilvia, R. J. Org. Chem. 52 (1987) 1344.
- 13. Oswald, A. A., Noel, F. and Fisk, G. J. Org. Chem. 26 (1961) 3974.
- 14. Montgomery, J. A. and Temple, C. J. Am. Chem. Soc. 83 (1961) 630.
- Skoog, F., Hamzi, H. Q., Szweykowska, A. M., Leonard, N. J., Carraway, K. L., Fujii, T., Helgeson, J. P. and Loeppky, R. N. *Phytochemistry* 6 (1967) 1169.
- Siemens (1995). SMART and SAINT. Area Detector Control and Integration Software, Siemens Analytical X-Ray Instruments Inc., Madison, Wisconsin, USA.
- 17. Sheldrick, G. M. (1996) Sadabs. Program for Absorption Correction, University of Göttingen, Germany.
- Sheldrick, G. M. (1994). SHELXTL, Structure Determination Programs, version 5.03, Siemens Analytical X-Ray Instruments Inc., Madison, Wisconsin, USA.
- X-Ray Instruments Inc., Madison, Wisconsin, USA.

 19. International Tables of Crystallography, Vol. C. Tables 4.2.6.8 and 6.1.1.4 (1992), Kynoch Press, Birmingham 1992.

Received September 24, 1998.